



Advanced
Cylinder Technology

**Master
Lock**

Program Offering

Model No. Option: BumpStop™ = “N” (Example: 6121KA → 6121NKA)

Available in boxed product only thru any Locksmith/Industrial Dealer or at Hardware Store/Wholesale Outlet service counters



Edge™ Key Control

- Available in the full range of Master Lock Commercial products
- Exclusive patented key and cylinder design guarantees system protection
- Added Locking Feature allows numerous one-of-a-kind “virtual keyways”
- Key blanks are completely restricted, making unauthorized duplication nearly impossible
- All operating keys are unique to a facility
- Free record keeping service is available for all registered Edge™ system end users



297, 296 & 294 with WP4 and WP6 option

EDGE™ REPLACEMENT PADLOCK CYLINDERS

Master Lock Padlocks

Pro-Series® Rekeyable Padlocks

- Hardened boron alloy shackle for superior cut resistance
- Locking mechanism resists pulling and prying
- 5 & 6-pin cylinders provide tens of thousands of key changes
- Rekeyable, replaceable cylinder and shackle



No. 6200 Series

HIDDEN SHACKLE PADLOCKS

- Ideal for vans, trucks, gates, vending
- Greatest physical security, defy bolt cutters and prying
- Hardened solid steel lockbody withstands forcible attacks (No. 6270)
- Die cast body reinforced with anti-saw pins (No. 6271)
- 2-7/8" (73mm) diameter body
- 3/8" (10mm) diameter hidden shackle
- 1-9/32" (15mm) long x 1-23/32" (43mm) wide opening in back of lock body for hasp
- Rekeyable, 6-pin, W7000 cylinder



No. 6300 Series

HIGH SECURITY SOLID IRON SHROUD PADLOCKS

- 2-5/8" (67mm), 2-3/8" (61mm) & 2-1/8" (54mm) wide heavy steel bodies withstand physical attacks
- Iron shroud protects shackle from cutting and prying
- 7/16" (11mm), 3/8" (10mm) & 5/16" (8mm) diameter shackles
- 3/4" (19mm) high, 7/8" (22mm) wide shackle clearance
- Rekeyable, 5-pin, W6000 cylinder



Model No. Option: BumpStop™ = “**N**” (Example: 6121KA → 6121**N**KA)

Available in boxed product only thru any Locksmith/Industrial Dealer or at Hardware Store/Wholesale Outlet service counters



No. 6230

HIGH SECURITY SOLID STEEL PADLOCKS

- 2-1/2" (64mm) wide case hardened, chrome plated lock body
- 7/16" (11mm) diameter, 1-1/8" (29mm) long, 7/8" (22mm) wide hardened boron alloy shackle for superior cut resistance
- Rekeyable, 5-pin, W6000 cylinder

No. 7000 Series

HIGH SECURITY SOLID STEEL PADLOCKS

- 2" (51mm), 1-3/4" (44mm) & 1-9/16" (40mm) wide case hardened, chrome plated steel body
- Shrouded models protect against bolt cutters and prying
- 3/8" (10mm), 5/16" (8mm) & 1/4" (6mm) diameter shackles
- 1-1/16" (27mm) to 1-1/2" (38mm) high, 25/32" (20mm) to 29/32" (23mm) wide shackle clearance
- Rekeyable, 5-pin, W6000 cylinder



No. 6100 Series

WEATHER TOUGH® PADLOCKS

- Ideal for harsh outdoor conditions – exclusive cover protects lock from water, ice, dirt and grime
- Keyway cover keeps out dust and dirt
- 2-5/8" (67mm), 2-3/8" (61mm) & 2-1/8" (54mm) wide heavy steel bodies withstand physical attacks
- 7/16" (11mm), 3/8" (10mm) & 5/16" (8mm) diameter shackles
- 1-3/8" (35mm) high, 7/8" (22mm) wide shackle clearance
- Rekeyable, 5-pin, W6000 cylinder



No. 6800 Series

SOLID BRASS PADLOCKS

- 2" (51mm), 1-3/4" (44mm) & 1-9/16" (40mm) wide brass body provides extra corrosion resistance in caustic, corrosive salty environments
- 3/8" (10mm), 5/16" (8mm) & 1/4" (6mm) diameter shackles
- 1-1/16" (27mm) to 1-1/2" (38mm) high, 25/32" (20mm) to 29/32" (23mm) wide shackle clearance
- Rekeyable, 5-pin, W6000 cylinder



No. 6835 Series

SOLID ALUMINUM PADLOCKS

- 1-9/16" (40mm) wide, aluminum locks for corrosive environments
- Brightly colored locks for easy identification
- 1/4" (6mm) diameter shackles
- 1-1/16" (27mm) high, 25/32" (20mm) wide shackle clearance
- Rekeyable, 5-pin, W6000 cylinder





Model No. Option: BumpStop™ = "N" (Example: 6121KA → 6121NKA)

Available in boxed product only thru any Locksmith/Industrial Dealer or at Hardware Store/Wholesale Outlet service counters

Rekeyable Padlocks

- Quickly remove the current cylinder and either change the pins or replace the cylinder
- 5-pin tumbler cylinders provide more than 9,000 key changes for added pick resistance

Nos. 230 & 220

DIE CAST ZINC PADLOCKS

- 2-1/2" (64mm) & 2" (50mm) wide chrome plated lock body resists corrosion
- 7/16" (11mm) diameter hardened boron alloy shackle for superior cut resistance
- 1" (25mm) high, 15/16" (24mm) & 3/4" (19mm) wide shackle clearance
- Rekeyable, 5-pin, W27 cylinder



No. 101

REKEYABLE LAMINATED STEEL PADLOCKS

- 3-1/4" (83mm) wide laminated steel body
- 5/16" (8mm) diameter hardened boron alloy shackle
- 3" (76mm) high, 2-1/4" (57mm) wide shackle clearance
- Double locking mechanism provides extra pry resistance
- Rekeyable, 5-pin, W27 cylinder



Nos. 27 & 25

REKEYABLE LAMINATED STEEL PADLOCKS

- 2" (51mm) wide laminated steel body
- No. 27: 7/16" (11mm) diameter hardened boron alloy shackle
- No. 25: 3/8" (10mm) diameter hardened boron alloy shackle
- 1" (25mm) high, 3/4" (19mm) & 15/16" (24mm) wide shackle clearance
- Hardened steel bottom plates for extra drill resistance
- Double locking mechanism provides extra pry resistance
- Top & bottom bumpers for greater scratch resistance
- Rekeyable, 5-pin, W27 cylinder



No. 21 & 24

REKEYABLE LAMINATED PADLOCKS

- No. 21: 1-3/4" (44mm) wide laminated steel body
- No. 24: 1-3/4" (44mm) wide brass body and cylinder provide excellent corrosion resistance
- 5/16" (8mm) diameter hardened steel shackles
- 15/16" (24mm) high, 3/4" (19mm) wide shackle clearance
- No. 21: Hardened steel bottom plates for extra drill resistance
- No. 21: Top & bottom bumpers for greater scratch resistance
- Double locking mechanism provides extra pry resistance
- Rekeyable, 5-pin, W27 cylinder





Model No. Option: BumpStop™ = "N" (Example: 6121KA → 6121NKA)

Available in boxed product only thru any Locksmith/Industrial Dealer or at Hardware Store/Wholesale Outlet service counters

Non-Rekeyable Laminated Padlocks

No. 15

LAMINATED STEEL PADLOCK

- 2-1/2" (64mm) wide lock body
- 7/16" (11mm) diameter hardened boron alloy shackle
- 1-1/4" (32mm) high, 1-3/16" (30mm) wide shackle clearance
- Hardened steel bottom plates for extra drill resistance
- Top & bottom bumpers for greater scratch resistance
- Non-rekeyable, 5-pin, W15 cylinder



No. 5, 17 & 6

LAMINATED STEEL & BRASS PADLOCKS

- No. 5 & 17: 2" (51mm) wide steel lock body
- No. 6: 2" (51mm) wide brass body and cylinder provide excellent corrosion resistance
- No. 17: 7/16" (11mm) diameter hardened boron alloy shackle
- No. 5 & 6: 3/8" (10mm) diameter hardened boron alloy shackle
- 1" (25mm) high, 3/4" (19mm) & 15/16" (24mm) wide shackle clearance
- No. 5 & 17: Hardened steel bottom plates for extra drill resistance
- No. 5 & 17: Top & bottom bumpers for greater scratch resistance
- Non-rekeyable, No. 17: 5-pin, W17 cylinder, No. 5 & 6: 4-pin, W1 cylinder



No. 1, 81, 2 & 82

LAMINATED STEEL & BRASS PADLOCKS

- No. 1 & 81: 1-3/4" (44mm) wide steel lock body
- No. 2 & 82: 1-3/4" (44mm) wide brass body and cylinder provide excellent corrosion resistance
- 5/16" (8mm) diameter hardened steel shackle
- 15/16" (24mm) high, 3/4" (19mm) wide shackle clearance
- No. 1 & 81: Hardened steel bottom plates for extra drill resistance
- No. 1 & 81: Top & bottom bumpers for greater scratch resistance
- Non-rekeyable, No. 81 & 82: 5-pin, W81 cylinder, No. 1 & 2: 4-pin, W1 cylinder



No. 3, 11, 31 & 4

LAMINATED STEEL & BRASS PADLOCKS

- No. 3, 11 & 31: 1-9/16" (40mm) wide steel lock body
- No. 4: 1-9/16" (40mm) wide brass body and cylinder provide excellent corrosion resistance
- 9/32" (7mm) diameter hardened steel shackle
- 3/4" (19mm) high, 5/8" (16mm) wide shackle clearance
- No. 3, 11, 31: Hardened steel bottom plates for extra drill resistance
- No. 3, 11, 31: Top & bottom bumpers for greater scratch resistance
- Non-rekeyable, No. 31: 5-pin, W27 cylinder, No. 3 & 4: 4-pin, W1 cylinder, No. 11: Key-retaining, 4-pin, W1 cylinder





Model No. Option: BumpStop™ = "N" (Example: 6121KA → 6121NKA)

Available in boxed product only thru any Locksmith/Industrial Dealer or at Hardware Store/Wholesale Outlet service counters



Nos. 311, 312, 315 & 317

COVERED LAMINATED STEEL PADLOCKS

- 1-9/16" (40mm) wide steel lock body with black, blue, yellow or camoflaue, high tech thermoplastic shell withstands the elements
- 3/8" (10mm) diameter hardened steel shackle includes 3/32" molded cover
- 3/4" (19mm) high, 1/2" (13mm) wide shackle clearance
- Non-rekeyable, 4-pin, W1 cylinder prevents picking



No. 37

SHROUDED LAMINATED STEEL PADLOCK

- 1-9/16" (40mm) wide laminated steel lock body for superior strength
- 1/2" (13mm) diameter armored hardened steel shackle and shackle guard protect against bolt cutters and hacksaws
- 15/16" (24mm) high, 7/16" (11mm) wide shackle clearance
- Non-rekeyable, 4-pin, W1 cylinder prevents picking



No. 443

VENDING & METER PADLOCK

- Prevents access to vending and utility valve equipment
- 1-9/16" (40mm) wide laminated steel lock body for superior strength
- Single post, removable 3/8" (10mm) diameter hardened steel shackle
- Hardened bottom plate for extra drill resistance
- Top & bottom bumpers for greater scratch resistance
- Non-rekeyable, 4-pin, W1 cylinder



No. 387, 388 & 3870

HIGH SECURITY KING PIN LOCKS

- Secures the king pin of semi-trailers, RVs and other fifth wheel trailers
- High grade aluminum is lightweight while providing high security
- High visibility red body and durable flag alert drivers that lock is attached
- Includes an integrated lock: No. 387: No. 5, No. 388: No. 25 & No. 3870: No. 6121

297, 296, 295 & 294

REPLACEMENT PADLOCK CYLINDERS

Products not susceptible to Lock Bumping

No. 175, 177, 178

SET-YOUR-OWN COMBINATION PADLOCKS

- No. 175: Solid brass case for strength and weatherability
- No. 177: Shrouded Solid brass case for strength and weatherability
- No. 178: Black coated, Die cast case for strength
- 2" (51mm) wide lock body
- 5/16" (8mm) diameter shackle
- 1" (25mm) high, 1" (25mm) wide shackle clearance



No. 8413

PYTHON™ ADJUSTABLE LOCKING CABLE

- Patented locking mechanism holds the cable tight infinite locking positions
- Weather tough aluminum alloy body and vinyl coated cable resist rust and operate in extreme conditions
- Cut resistant, 5/16" (8mm) braided steel cable



No. 1500

BLACK DIAL COMBINATION PADLOCK

- World's best selling combination lock
- 1-7/8" (48mm) wide stainless steel body
- 9/32" (7mm) diameter shackle
- 3/4" (19mm) high, 13/16" (21mm) wide shackle clearance
- Combination different



No. 2001

COMBINATION PADLOCK

- 3 times stronger than No. 1500
- 2-3/16" (55mm) wide double-armored stainless steel lock body
- 5/16" (8mm) Hardened boron alloy shackle for superior cut resistance
- 1" (25mm) high, 15/16" (24mm) wide shackle clearance
- Combination different



No. 500, 517, 22, 3009, 105 & 10

WARDED PADLOCKS

- Warded locking mechanism minimizes jamming from dirt and grime
- Laminated steel body for strength
- Steel shackle provides cut resistance

